



Violectric DHA V590² and DHA V380²: handmade reference-quality headphone amplifiers with integrated DA-converters



Violectric presents DHA V590² and DHA V380², two powerful new audio systems combining headphone amp, DA converter and preamplifier. Digital audio signals are fed into the devices via XLR, RCA, USB or optical inputs, translated into the analogue domain by newly developed ESS-Tech ES9026 PRO converters and played out to up to three different sets of headphones. V590² and DHA V380² are compatible with high-resolution audio up to 384 kHz and DoP. High-quality Alps potentiometers control the volume and, in the case of the V590², also the balance. The pre-gain circuit optimises the levels for the headphones used. The carefully selected components are assembled by hand in an exquisite housing with a wide range of connection options, making the Violectric DHA V590² and the DHA V380² the perfect centrepieces of a sophisticated home audio system. The DHA V590² PRO replaces the volume pot with a 256-step reed relay circuit.

The contents of this press release

- Violectric introduces DHA V590² and V380²
- Converter and headphone amplifier for audiophiles
- Highest converter quality and signal processing
- Wide range of connection options
- High quality components installed by hand
- Prices and availability

Gauting, Germany, 29th July 2021 – With its innovative products, Violectric has always met the highest demands regarding sound quality. The converters and headphone amplifiers from the manufacture near Lake Constance enjoy an excellent reputation and are considered an insider tip among connoisseurs. Violectric lives up to this reputation with the second editions of the digital headphone amplifiers DHA V590² and the V380², raising the bar a little higher once again.

Summary

Violectric introduces DHA V590 $^{\rm 2}$ and DHA V380 $^{\rm 2}$

Product name

DHA V5902 and DHA V3802

Manufacturer

Violectric

Price

DHA V590² PRO: 3,799.00 Euros DHA V590²: 3,299.00 Euros DHA V380²: 2,299.00 Euros

Availability Early August

Distributor cma audio GmbH

Websites

www.cma.audio www.violectric.de

Images

Product picture

http://cmaaudio.rtfmpr.de/cmaaudio_violectric_DHA_V590-2.jpg

Image archive

http://cmaaudio.rtfm-pr.de/cmaaudio_violectric_DHA_V590-2_V380-2.zip

Devices for testing

If you are interested in a sample device for review purposes, please write us an e-mail.

Press contact

rtfm GmbH

Moritz Hillmayer Tel.: +49 (0)911/310 910-0 E-mail: cma.audio@rtfm-pr.de

Company contact

cma audio GmbH

Münchener Straße 21 D-82131 Gauting Germany

E-mail: gmbh@cma.audio Website: www.cma.audio



PRESS RELEASE

Converter and headphone amplifier for audiophiles

Both the Violectric DHA V590 2 and the DHA V380 2 are comprehensive audio systems combining first-class conversion with a powerful headphone amplifier. The reference-level build quality guarantees an outstanding listening experience. With a variety of connection and switching options, the V590 2 and V380 2 constitute the ideal central control element in a sophisticated home audio system. Up to three headphones can be driven via one balanced and two unbalanced front connections. Depending on the type of headphones, level adjustments can be made with pre-gain switches on the back of the amplifier. The V590 2 also features a balanced XLR stereo input, a motorized volume and a balance knob, and can be remote-controlled.

Highest converter quality and signal processing

Both the Violectric DHA V590 2 and the DHA V380 2 employ newly developed ESS-Tech ES9026 PRO converters to translate the digital input into analogue output. Digital signals are converted in the highest possible quality from the formats PCM with up to 384 kHz and DSD-over-PCM (DoP) into analogue audio. From hi-res streaming to the own music collection, V590 2 and V380 2 perfectly reproduce every instrument, every tone, every detail of a musical performance.

Wide range of connection options

With the connection options offered, the Violectric DHA V590 $^{\circ}$ and DHA V380 $^{\circ}$ offer outstanding versatility. An optical connection, a USB connector for PCM and DSD and a coaxial input for S/PDIF plus, on the V590 $^{\circ}$, an XLR socket for AES/EBU are available as digital inputs. The analogue inputs consist of two unbalanced RCA stereo connections and an additional balanced XLR stereo input on the V590 $^{\circ}$. The analogue outputs on both devices are divided into a balanced and two unbalanced headphone connections on the front, while the back features an unbalanced RCA stereo connection and a balanced XLR stereo connection. The rear outputs can be switched to include or omit the main volume control. The various inputs and outputs can be selected using the remote control and buttons (V590 $^{\circ}$) or toggle switches on the front of the housing (V380 $^{\circ}$). On the V590 $^{\circ}$, headphones and line outputs can be used at the same time.

High quality components installed by hand

In order to meet their own standards, and those of their customers, Violectric consistently takes great care chosing and processing materials and components; the DHA V590 2 and DHA V380 2 are no exception. The top-quality conversion by the ESS-Tech ES9026 PRO then passes an Alps RK 27 (motorized on the DHA V590 2) with eight transistors for the unbalanced headphone channels and 16 transistors for the balanced headphone channel. The balance control of the V590 2 is also realised with an Alps RK 27. In the PRO variant of the V590 2 , a sophisticated reed relay circuit with 256 steps replaces the potentiometer to achieve even greater precision. Additional circuits protect the devices from direct current, overload or overvoltage and delay the switch-on process to protect the headphones. All components are carefully assembled by hand and installed into a subtle, black anodized housing with a six (V380 2) or eight (V590 2) millimetre thick front panel.

cma.audio

PRESS RELEASE

Price and availability

The Violectric DHA $V\bar{5}90^2$ and the Violectric DHA $V380^2$ are distributed exclusively by cma audio and will be available in early August 2021. The remote control is included with the $V590^2$. The MSRP are 3,799.00 euros for the DHA $V590^2$ PRO, 3,299.00 euros for the DHA $V590^2$ and 2,299.00 euros for the DHA $V380^2$, including VAT.

About cma audio / Lake People electronic

As a company group, cma audio GmbH and Lake People electronic GmbH are ideal partners and service providers for products and solutions in audio technology. Lake People develops and manufactures high-quality audio electronics and cma audio distributes audio products, systems and services.

With its brands Lake People, Violectric and Niimbus, Lake People electronic GmbH provides both professional and audiophile markets with excellent headphone amplifiers, converters and tools. The claim "Made in Germany" defines the company and its 35-year tradition. The entire development and manufacturing take place under the watchful eye of founder and mastermind Fried Reim in Constance, with even most of the suppliers coming from Germany.

Distribution is handled by cma audio GmbH, the experienced and globally operating value added distributor. For German brands, cma audio opens markets around the world, while also granting international brands wideranging access to European markets. Renowned brands like Audeze, Chord Electronics, IsoAcoustics, MARIAN, Mogami, OEAudio, Prism Sound and SPEAR Labs trust in the services of cma audio. The team, located in Gauting near Munich, Germany, passionately and competently care for the company's exclusive portfolio and have established cma audio as a reliable partner for resellers, online shops, system houses and professional as well as institutional users for over 20 years.

www.cma.audio www.lake-people.de